



"GACELA" SELF-CLOSING ROLLER RUNNER



A Self-closing "GACELA" Runner

Loading	Length	Reference White RAL 9001	Reference Black RAL 9005	Loss of Ext. PS
250 N. (25 kp.)	250	760.025.803	760.025.825	59
	300	760.030.806	760.030.821	68
	350	760.035.802	760.035.824	77
	400	760.040.805	760.040.820	86
	450	760.045.801	760.045.823	95
	500	760.050.804	760.050.826	104
	550	760.055.800	760.055.822	113
	600	760.060.803	760.060.825	122
	700	760.070.802	760.070.821	140
800	760.080.801	760.080.824	158	

100



- Under these references, the 4 profiles are packed separately in 100 pcs. boxes.



Loading	Length	Reference White RAL 9001	Reference Black RAL 9005	Loss of Ext. PS
250 N. (25 kp.)	250	760.125.800		59
	300	760.130.803	760.130.825	68
	350	760.135.806	760.135.821	77
	400	760.140.802	760.140.824	86
	450	760.145.805	760.145.820	95
500	760.150.801	760.150.823	104	

30


- Under these references, the 4 profiles are packed together in 30 sets boxes.
- Minimum order: 300 sets.



B EURO-SCREW

	Ø 7 x 10	Ø 7,75 x 10
Nickel-plated	952.810.062	953.610.066

5.000





"GACELA" QUICK-MOUNTING SELF-CLOSING ROLLER RUNNER








100

A "GACELA" runner quick mounting

Loading	Length	Drawer	White RAL 9001	Loss of extension PS	C				
250 N. (25 kp.)	350	330	760.235.803	77	303				
	400	380	760.240.806	86	353				
	450	430	760.245.802	95	500	480	760.250.805	104	453
	500	480	760.250.805	104	453				

- Under these references, the 4 profiles are packed separately in 100 pcs. boxes.





"GACELA" KNOCK-IN SELF-CLOSING ROLLER RUNNER





A "GACELA" knock-in self-closing roller runner

100

Loading	Length	White RAL 9001	Black RAL 9005	Loss of extension PS
250 N. (25 kp.)	250	760.725.803	760.725.825	59
	300	760.730.806	760.730.821	68
	350	760.735.802	760.735.824	77
	400	760.740.805	760.740.820	86
	450	760.745.801	760.745.823	95
	500	760.750.804	760.750.826	104

Under these references the profiles are packed separately in 100 pcs. boxes.



B "GACELA" crimping tool

751.300.104

1

This is a simple pneumatic tool which fixes the runner to the drawer between two jaws. The tool comes automatically with spring loaded hanging device for easy access.

Assembly: Turn the drawer upside down and place the runner on the drawer side. Place the jaws of the tool over each set of clips and press the button.





"GACELA" TILT DOWN






A "GACELA" tilt down.

Loading	Length	White RAL 9001	Loss of extension PS
250 N. (25 kp.)	450	759.745.803	95
	500	759.750.806	104

100

- Under these references, the 4 profiles are packed separately in 100 pcs. boxes.





"GACELA" ADJUSTABLE RUNNER



A "GACELA" adjustable runner

100

Loading	Length	Reference White RAL 9001	Reference Black RAL 9005	D.C. extension	Loss of PS
250 N. (25 kp.)	250	759.525.804	759.525.826	128	59
	300	759.530.800	759.530.822	160	68
	350	759.535.803	759.535.825	224	77
	400	759.540.806	759.540.821	256	86
	450	759.545.802	759.545.824	288	95
	500	759.550.805	759.550.820	320	104

- Under these references, the 4 profiles are packed separately in 100 pcs. boxes.

